CM-30T-B



Chain Mount Base Kit, 8 ft chain

Product Classification

General Specifications

Mounting Circumference, minimum

Chains, quantity	2
Pipe, quantity	0
Sectors, quantity	3

Dimensions


Height	152.4 mm 6 in
Width	203.2 mm 8 in
Length	203.2 mm 8 in
Chain Length	2,400.3 mm 94.5 in
Mounting Diameter, maximum	762 mm 30 in
Mounting Diameter, minimum	203.2 mm 8 in
Pipe Outer Diameter	60.96 mm 2.4 in
Mounting Circumference, maximum	2,392.68 mm 94.2 in

Page 1 of 3

635 mm | 25 in

CM-30T-B

Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Mechanical Specifications

Wind Rating 120 mph (BWS) at 100 ft AGL

Wind Rating Criteria One 96 in x 10 in panel antenna per sector

Wind Rating Test Method TIA/EIA-222

Packaging and Weights

Included Chains

COMMSCOPE®

CM-30T-B

Packaging quantity

Weight, net 23 kg | 50.706 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

* Footnotes

Wind Rating BWS—Base Wind Speed; FBC—Florida Building Code

1

